

調査場所	千葉県市川市大塚町新築工事に伴う地質調査				
試錐機名	S. R. L. - (U)	試錐深度	20 M 29	着手	8月5日
試料採取方法	レイモンド・サンプラー	試錐孔径	65 M.M.	完成	8月6日
No.	7	孔			

調査技術員	
担当	
調査番号	

月日	標尺 (M)	標高 (M)	深度 (M)	層厚 (M)	土質			相対密(稠)度	地下水位 (M)	試験試料 (M)	記事	標準貫入試験											
					土質記号	土質名	色調					回数/cm	N値										
	0	-0.558	0.00									0	5	10	15	20	25	30	35	40	45	50	
	1										表層の微塵、有機物混入	2/45	1.15										
	2										含水層	2/51	1.50										
	3	-2.658	2.10	2.10		細砂	暗褐色					5/30	2.46										
	4										3.10~3.25 有機物混入	7/30	3.45										
	5										表層の有機物、浮石等混入	9/30	4.45										
	6	-7.008	6.45	5.55		中-大粒砂						6/30	5.45										
8/5	7										種々の砂	1/36	6.45										
	8										表層の有機物、粗砂等混入	1/31	7.31										
	9	-9.358	8.20	7.35		砂質粘土	灰褐色					15/30	8.46										
	10											21/30	9.45										
	11										表層の有機物混入	28/30	10.45										
	12											34/30	11.45										
	13											42/30	12.45										
	14											38/30	13.45										
	15										粘土5~10cm程度の層に砂混入	34/30	14.45										
	16											37/30	15.45										
	17											47/30	16.45										
	18											50/26	17.45										
	19											50/19	18.41										
8/6	20	-20.048	20.29	11.49		細砂	灰褐色					50/14	19.34										
	21												20.15										
	22												20.29										
	23																						
	24																						
	25																						
	26																						
	27																						
	28																						
	29																						
	30																						
	31																						

調査方法	1.5M
------	------

調査員	
担	
調査番号	

月 日	標高 (M)	深度 (M)	層厚 (M)	土質			相對密(稠)度	地下水位 (M)	試驗試料 (M)	記事	標準貫入試驗		打撃回数(N)											
				土質記号	土質名	色調					回数 /cm	N 值	0	5	10	15	20	25	30	35	40	45	50	
	-1.812	0.00											0	5	10	15	20	25	30	35	40	45	50	
										有残物及骨片混入	2/32	1.15												
1											3/30	1.47												
2	-3.512	1.70	1.70		細砂	褐色					3/30	2.15												
3								3.15		有残物混入	3/30	2.43												
4											4/31	3.15												
5											4/32	3.52												
6	-7.112	3.60	3.90		中砂	褐色					5/31	3.47												
7										骨片混入	10/30	6.15												
8	-8.712	6.90	1.30		砂質粘土	褐色					19/30	7.45												
9										骨片混入	19/30	7.45												
10											24/30	8.45												
11											25/30	9.45												
12											35/30	10.45												
13										有残物混入	38/30	10.45												
14											40/30	11.45												
15											40/30	11.45												
16											48/30	12.45												
17											50/30	13.45												
18											50/30	14.15												
19											47/30	14.45												
20										骨片混入	50/19	15.45												
21	-22.142	20.33	13.43		細砂	褐色					49/30	16.34												
22											50/20	17.15												
23											50/20	17.45												
24											50/24	18.15												
25											50/10	19.39												
26											50/10	20.15												
27											20.33													